

LOC/DME I-PRQ 111.3 Chan 50	APP CRS 129°	Rwy Idg 6568 TDZE 46 Apt Elev 46
---	------------------------	---

ILS or LOC RWY 12R


HOUSTON/WILLIAM P. HOBBY (HOU)

▼ Inoperative table does not apply to S-ILS 12R. For inoperative MALSR, increase S-LOC 12R Cat A and B visibility to RVR 5000 and Cat E to 1¾. DME or RADAR required. Visibility reduction by helicopters NA.


▲ MALSR

MISSED APPROACH: Climb to 800 then climbing right turn to 2200 direct VUH VORTAC.


ATIS 124.6	HOUSTON APP CON 120.05 379.1 EAST 124.35 316.15 WEST	HOBBY TOWER 118.7 256.9	GND CON 121.9	CLNC DEL 125.45
----------------------	--	-----------------------------------	-------------------------	---------------------------



ELEV 46	D	TDZE 46
---------	----------	---------



RADAR REQUIRED



CATEGORY	A	B	C	D	E
S-ILS 12R	296/40 250 (300-¾)				
S-LOC 12R	540/40	494 (500-¾)	540/50 494 (500-1)	540/60 494 (500-1½)	540/60 494 (500-1½)
CIRCLING	540-1	494 (500-1)	540-1½ 494 (500-1½)	600-2 554 (600-2)	860-3 814 (900-3)

SC-5, 07 FEB 2013 to 07 MAR 2013

SC-5, 07 FEB 2013 to 07 MAR 2013